

Chapter 1. Introduction

M. Tim Tinker

Background

The sea otter (*Enhydra lutris*) is one of the smallest of the world's marine mammals. As an apex carnivore in nearshore coastal marine habitats of the north Pacific Ocean it is recognized to play important functional roles in ecosystem structure and dynamics (Estes and Palmisano 1974, Riedman and Estes 1990, Tinker et al. 2017). During the international fur trade of the 18th and 19th century, sea otters were extirpated from the Oregon coast and indeed from most of the coast of the eastern North Pacific Ocean (Kenyon 1969).

At present there is no sea otter population in Oregon, although individual animals, thought to be mostly males making long-distance movements from populations to the north (Washington State) and south (central California), are observed from time to time.

In recent years there has been renewed interest in the possibility of reintroducing sea otters to Oregon, with several motivating objectives: 1) restoring the various ecological functions of a keystone species formerly present in Oregon's marine environment; 2) restoration of the cultural relations between sea otters and human residents along Oregon's coast; 3) increasing the capacity for the species overall to survive potentially catastrophic events, such as oil spills, through a broader distribution of sea otter populations on the Pacific Coast; and 4) improving the gene flow between northern sea otters on the Washington and British Columbia coasts and southern sea otters in California.

The Elakha Alliance, an Oregon non-profit organization, in cooperation with several partners, has supported the preparation of this Feasibility Study to determine whether existing habitat, source populations, and political, legal, economic, and social contexts are suitable for a successful reintroduction of sea otters to Oregon.

Reintroduction vs translocation

Wildlife reintroduction programs involve "the intentional movement and release of an organism inside its indigenous range from which it has disappeared", where the goal is "to re-establish a viable population of the focal species within its indigenous range" (IUCN 2013). Within this document we use the phrase "reintroduction" as defined in the previous sentence, although when specifically describing the process of moving animals from one location (e.g., a source population) to another location (e.g., a potential reintroduction site) we also use the related term "translocation".

Wildlife translocation and reintroduction as a conservation strategy has been used extensively over the past century, with well-known examples of successful reintroductions including golden lion tamarins in South America (Kleiman and Mallinson 1998), peregrine falcons in the mid-western United States and Canada (Tordoff and Redig 2001) and fisher populations in the Pacific northwestern United States (Lewis et al. 2012). The translocation and reintroduction of sea otters to their former habitats along the west coast of North America (including southeast Alaska, British Columbia, Washington, and San Nicolas Island in southern California) proved to be a successful management strategy for the recovery of this species from near extinction (Jameson et al. 1982, Bodkin 2015) (See Chapter 2, Prior Translocations).

In contrast to these success stories however, are the many reintroduction efforts that have failed to establish viable populations (Griffith et al. 1989, Wolf et al. 1996). In 1970 and 1971, nearly 100 sea otters from the Aleutian Islands were translocated to the southern Oregon coast (Jameson et al. 1982). Although post-release reproduction of this translocated population was documented and some animals persisted in Oregon for about five years, a permanent population was not established (Jameson 1975).

One cause of failed reintroductions is inadequate planning from a demographic and ecological perspective; for example, not including enough individuals of the appropriate age/sex classes, or selecting inappropriate habitats (Kleiman 1989, Wolf et al. 1998). However, another reason for failure includes a too-narrow focus on demographic and ecological factors and a lack of attention to other key elements such as social, economic and political considerations (Reading et al. 2002).

Reading et al. (2002) identify four main categories of considerations that should be addressed when considering the feasibility of a reintroduction program: 1) Biological and technical aspects (population ecology, habitat suitability, translocation and reintroduction techniques, etc.); 2) Organizational aspects (the personnel, bureaucratic structure and relationships between the various agencies and organizations involved); 3) Authority/Power aspects (legal and political considerations); and 4) Socio-economic aspects (including values, traditions, attitudes and economies of the affected communities). All these variables can play a role in the success or failure of a reintroduction program; thus, it is important to incorporate this broader suite of considerations into the initial assessments of feasibility of any reintroduction efforts under consideration.

The goal of the Feasibility Study

The overall goal of the Feasibility Study is to assist the Elakha Alliance, relevant state and federal agencies, stakeholders, and the public in identifying, understanding, evaluating, and addressing environmental, economic, social, legal and other factors relevant to restoring a population of sea otters on the Oregon coast. It is intended to provide the Elakha Alliance and all parties with the best available scientific, economic, and legal information and analyses to guide consideration of future steps toward restoration, in consideration of:

- a) implications for the viability of source populations and newly established populations
- b) suitability of habitat and the potential for positive and negative effects on ecosystems
- c) social and economic impacts, both positive and negative
- d) administrative and legal requirements
- e) logistical constraints and steps for implementation

It is also important to emphasize what this report is not intended to be: specifically, it is NOT intended as a definitive statement about whether the reintroduction of sea otters to Oregon is advisable, or indeed whether it is practically feasible from all perspectives. Such decisions are left to others: the purpose of this report is to provide a comprehensive source of pertinent information, history, and best available science, which we believe will be useful for a wide range of stakeholders, resource managers and decision makers going forward.

At a superficial level, the question of whether reintroducing sea otters to Oregon is conceptually “feasible” is almost self-evident: successful sea otter reintroductions conducted previously (see Chapter

2), combined with historical documentation that sea otters were once abundant in coastal Oregon (see Chapter 4), would argue for feasibility in the broadest definition of that word.

This report is not intended to provide a yes or no answer to the question of whether reintroduction is advisable, nor is it designed to convince the reader of one opinion or another. Rather, it is our intent to amass and synthesize the relevant information that we believe that a person (or community of people) would need to make an informed decision about whether to proceed with a proposal to reintroduce sea otters to Oregon, and secondarily to provide guidance about what elements such a proposal should include.

Contents of this report

Twelve chapters (including this introductory chapter) focus on different considerations that are germane to a comprehensive assessment of the feasibility of a reintroduction of sea otters to coastal Oregon. A set of Appendices to this report contain more detailed documentation, maps and resources that are alluded to in various chapters.

Chapter 2, Prior Translocations, begins with an overview of the history of previous sea otter translocation and reintroduction efforts over the past century. By comparing the methods, goals, and outcomes of these previous efforts, we draw some basic inferences about the factors that seem to predict success or failure in sea otter reintroductions, as well as some of the key variables that need to be considered in any future reintroductions.

Chapter 3, Population and Demographic Considerations, assesses feasibility from the perspective of population biology, examining some of the demographic variables that can determine success of a reintroduction effort. A principal tool in this assessment is an Oregon Sea Otter Population Model (ORSO), a computerized population model built upon previously published population models for sea otters. This model provides a quantitative modeling framework for evaluating probable outcomes and associated uncertainty of various reintroduction scenarios. The model methods are explained in detail in an Appendix attached to the report, and a web-based user interface allows any interested user to explore the implications of different assumptions, variables, and alternative logistical strategies for the potential viability and likely future abundance and distribution of sea otters in Oregon.

The Oregon Sea Otter Population Model (ORSO) uses a stage-structured matrix model of sea otter demography to project future trends in abundance and changes in spatial distribution of reintroduced sea otter populations. The model is structured and parameterized based on extensive data from other sea otter populations and reintroduction outcomes, and incorporates density dependence, Allee effects, environmental and demographic stochasticity, and realistic dispersal and range expansion behavior. Thus, while any one simulation trajectory is unlikely to reliably predict future outcomes for a proposed reintroduction scenario, the range of projections over many model iterations will tend to encompass the most likely future outcomes.

Chapter 4, Genetic Considerations, explores the implications of a reintroduction of sea otters to Oregon from a genetic and historical perspective. This chapter provides an overview of the deep history of sea otters in North America, and Oregon in particular and summarizes published information on genetic diversity and relatedness of the extant sea otter populations. The chapter examines the implications of an Oregon reintroduction for genetic diversity and connectivity of sea otter populations overall.

Chapter 5, Ecosystem Effects, broadens the assessment from biologic and demographic to the ecosystem-level implications of a sea otter reintroduction. Sea otters are often considered to be a textbook example of a “keystone species”, defined as a species that has disproportionately large effects on its ecosystem relative to its abundance (Paine 1969). As sea otters have been reintroduced or naturally recovered to other coastal areas in North America, they have caused substantial perturbations to the structure and dynamics of nearshore food webs. Some of these effects are perceived as beneficial for people and some are perceived as negative. This chapter provides a brief primer on the ecological concepts necessary to interpret the direct and indirect effects of sea otter recovery, reviews these effects and discuss their implications for nearshore ecosystems and human communities in coastal Oregon.

Chapter 6, Habitat Suitability, examines the corollary of sea otter effects on ecosystems: that is, the effect of ecosystems on sea otters. The chapter explores how different attributes of nearshore habitats in Oregon are likely to affect their potential to support sea otter populations in the future, an exercise often referred to as “habitat suitability analysis”. This analysis is important for evaluating the potential viability of sea otters in different areas of Oregon, based on availability of critical habitat features. Such an analysis represents an important step in selecting prospective sites for any future reintroduction efforts, but also can be used to assess the areas where sea otters are most likely to concentrate in the future, and therefore where there is potential for conflicts with human activities.

Chapter 7, Socioeconomic Considerations, assesses socioeconomic considerations of a sea otter reintroduction. This assessment of socioeconomic impacts of sea otters begins with a broad overview of the existing literature and previous examples of sea otter socioeconomic impacts, then focuses on Oregon more specifically. This discussion of socioeconomic impacts is primarily conducted at a qualitative level, although a separate “Economic Impacts Assessment” document will provide a more quantitative examination.

Chapter 8, Legal Considerations, examines further the social dimensions of sea otter reintroduction with a review of the legal and policy considerations. As with any reintroduction effort there are many legal issues involved. The reintroduction of a marine mammal that is protected by international, federal, state, and tribal laws is especially complex, with multiple statutory and regulatory processes that need to be considered. Relevant laws and processes are listed and discussed with regard to differ applications depending on the reintroduction scenario, especially the selection of a source population.

Chapter 9, Logistics Considerations, discusses practical and logistical considerations of alternative reintroduction scenarios. The logistical issues considered include some of the topics addressed elsewhere in the report, such as selection of a source population and release site (or sites), as well as methodological issues such as how to capture, transport, release and monitor sea otters. While this chapter is in no way meant to represent a detailed proposal for a sea otter reintroduction, it does provide a useful overview of the topics that would need to be addressed in a detailed proposal.

Chapter 10, Health and Welfare Considerations, addresses a specific set of risks that are inherent in sea otter reintroductions, centered on sea otter health and welfare considerations. There is a rich and extensive literature on topics related to sea otter health, disease, and environmental threats; many of these previously reported diseases and threats could affect the success of a newly established sea otter population in Oregon. We provide a review of this literature, with discussion and interpretation tailored to the factors most likely to be relevant for a reintroduced population in Oregon.

Chapter 11, Stakeholder Concerns and Perspectives, provides a brief overview of the wide range of views and concerns associated with sea otters and sea otter reintroductions. This chapter is not intended to be an exhaustive analysis of all different views, but it is intended to help foster open and candid discussion about some of the societal-level challenges associated with sea otter recovery, and to encourage respect for the diverse and sometimes conflicting views about this subject.

Chapter 12, Conclusions, summarizes some of the key findings and points raised in all the previous chapters and provides some final thoughts about how these findings might be further explored or developed in any “next steps” that might occur.

Literature Cited

- Bodkin, J. L. 2015. Historic and Contemporary Status of Sea Otters in the North Pacific. Pages 43-61 in S. Larson, J. L. Bodkin, and G. R. Vanblaricom, editors. *Sea Otter Conservation*. Academic Press, Boston.
- Estes, J. A., and J. F. Palmisano. 1974. Sea otters: their role in structuring nearshore communities. *Science* **185**:1058-1060.
- Griffith, B., J. M. Scott, J. W. Carpenter, and C. Reed. 1989. Translocation as a species conservation tool: status and strategy. *Science* **245**:477-480.
- IUCN. 2013. *Guidelines for Reintroductions and Other Conservation Translocations*. Version 1.0. 57pp., IUCN (World Conservaiton Union) Species Survival Commission, Gland, Switzerland.
- Jameson, R. J. 1975. An evaluation of attempts to reestablish the sea otter, in Oregon. Oregon State University, Corvallis, OR.
- Jameson, R. J., K. W. Kenyon, A. M. Johnson, and H. M. Wight. 1982. History and status of translocated sea otter populations in North America. *Wildl. Soc. Bull.* **10**:100-107.
- Kenyon, K. W. 1969. The sea otter in the eastern Pacific Ocean. *North American Fauna* **68**:1-352.
- Kleiman, D. G. 1989. Reintroduction of captive mammals for conservation. *Bioscience* **39**:152-161.
- Kleiman, D. G., and J. J. Mallinson. 1998. Recovery and management committees for lion tamarins: partnerships in conservation planning and implementation. *Conservation Biology* **12**:27-38.
- Lewis, J. C., R. A. Powell, and W. J. Zielinski. 2012. Carnivore translocations and conservation: insights from population models and field data for fishers (*Martes pennanti*). *PLoS One* **7**:e32726.
- Paine, R. T. 1969. A note on trophic complexity and community stability. *American Naturalist* **103**:91-93.
- Reading, R. P., T. W. Clark, and S. R. Kellert. 2002. Towards an endangered species reintroduction paradigm. *Endangered Species Update* **19**:142-146.
- Riedman, M. L., and J. A. Estes. 1990. The sea otter, *Enhydra lutris*: behavior, ecology and natural history. U S Fish and Wildlife Service Biological Report **90**:1-126.
- Tinker, M. T., J. L. Bodkin, M. Ben-David, and J. A. Estes. 2017. Otters. Pages 664-671 in B. Wursig, H. Thewissen, and K. M. Kovacs, editors. *Encyclopedia of Marine Mammals*, 3rd Edition. Elsevier Inc., New York, NY.
- Tordoff, H. B., and P. T. Redig. 2001. Role of genetic background in the success of reintroduced peregrine falcons. *Conservation Biology* **15**:528-532.
- Wolf, C. M., T. Garland Jr, and B. Griffith. 1998. Predictors of avian and mammalian translocation success: reanalysis with phylogenetically independent contrasts. *Biological Conservation* **86**:243-255.
- Wolf, C. M., B. Griffith, C. Reed, and S. A. Temple. 1996. Avian and mammalian translocations: update and reanalysis of 1987 survey data. *Conservation Biology* **10**:1142-1154.